



Bimetal-thermometer

H 001-VA

**Steel version**

Standard bimetal thermometers are suitable for a great range of industrial applications


Application:	Heating and sanitary technology, process engineering
Nominal Size:	63, 80, 100 mm
Stem length:	30 – 300 mm
Housing:	Stainless steel 1.4301
Push on bezel:	Stainless steel 1.4301
Dial:	♦ Plastic white with pulled in edge as screen
Window:	Instrument glass
Connection:	♦ G½" with O-ring or locking screw ♦ Stem Ø 9 mm ♦ pocket stainless steel Ø 12 mm, outside
Operating pressure of pocket:	Maximum 6 bar
Measuring element:	Bimetal helix
Measuring ranges:	-30+50°C to 0+200°C
Accuracy:	Class 2 / Class 1 ( DIN 16203 / DIN EN 13190)
Options:	♦ Other measuring ranges stem lengths and nominal size. with PTFE self-sealing ring

Bimetal-thermometer

H 001-VA

Steel version

Standard bimetal thermometers are suitable for a great range of industrial applications



Nominal Size (D)	a	b	c	d	e	L2
80	13	9	9	14	12	30-300
100	16	9	9	14	12	

Size in mm

Details

We can offer further versions and special remarks on request.

[Technical changes reserve.](#)